CHICK OUE

B-3932

COOD X_FAIR LETERIGETATE

RUINS

UNEXPOSED

X ALII BED

Y COLONAL SITE

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL AT PEARANCE

The Columbus School, #99, is a Romanesque styled structure, the chief features of mich are a central square tower with pyramidal roof and a flanking pair of cylindrical corner towers with cornical roofs. It is located in a neighborhood just south of Clifton Park, a primarily residential area of nineteenth and twentieth century rowhouses in good condition. The structure is currently used as the South Clifton Park Community Center.

The two-story, cleven bay wide building is defined by the corner towers and large three-story central tower. Large worden deable doors with side wooden panels on the to or facede surrount seven stone steps and brick check walls with stone covering. This extrance, recessed into a large stone arch supported by two columns with decorative copitals, is unnamented with a lion's head keystone. A large multi-paned, semi-circular termsom surrounts the double doors. There is the archway is a large stone with a decorative outline. Four one-over-one windows with single light transcass are divided by three stone pilasters. The windows have stone sills and lintels. The second and third story levels are divided by a stone band course. A large stone lintel is surmounted by louvered semi-circular windows set into a blind archway with gauged brick voussoirs. A wooden arch, painted white, encloses the two windows. Round stone ornamentation at the spandrels displays star designs. The tower facade is capped with a dentiled wooden cornice, metal roof gutter, and large pyramidal slate roof with ball finials.

The flanking wall east of the tower is four bays wide, while the west flanking wall is three bays wide. Both sides are designed similarly. Basement windows with gauged brick lintels punctuate the foundation walls and are surmounted by a stone water table. Windows on the first floor have one-over-one sash with a semi-circular multipaned transom and gauged semi-circular arched brick lintels. The windows have stone als, and a stone band course travels along the walls at the top rail level of the windows. Recessed rectangular brick panels decorate the walls between the first and second stories. The second story windows have one-over-one sash with a twelve-light transom, walls at the top rail level of the windows. The building walls are capped by corbeled brick and a metal roof gutter. A brick parapet rising above the walls is decorated with corbeled openings and topped by a metal cap.

The round cylindrical towers each have six windows identical to the second story windows on the building walls. The towers rise above the cornice, ending in conical roofs. Eight openings defined by pilasters punctuate the towers above the building's roof line. A flag pole is hung from the western cylindrical tower.

The side fecade of the original building is ten bays wide with six-over-six sash, segmentally arched windows with double header brick lintels and stone sills. Basement openings of the same style have been bricked in. Projecting boys' and girls' entranceways are located on either end of the side facade. The entrances are composed of wide double doors above a stone stoop, a large multi-paned transom, a stone lintel, and a decorative metal pediment displaying "Boys" on the north entrance and "Girls" on the south. The walls end in a simple corbeled brick cornice and metal roof gutter. A four bay wide section connects the original building to a later addition. This section, containing a stairway, is styled similarly to the side facades of the original building.

SEE CONTINUATION SHEET #1.

ביים מתפוני

THE DISTANTS WATER NO OF THE BURELOR STANFE COMMERCIAL ON AND RECEEDITION SLAVICE

RECEIVED ...

CAMAL RECTETER OF HISTORIC PLACES AFFECTIVE NO AY -- NO MENASTON FORM

HELL HUTBER

PAGE]

SECRIPTION CONTINUED)

The first addition is eight bays wide with six-over-six windows of a wider proportion in the original side windows; these have stone sills and lintels. This addition is great by a metal roof gutter over a brick cornice. A second addition is connected to his addition by a stuccoed building section housing a single hallway.

The rear addition is seven bays wide, constructed of dark brick, and three stories igh. It is defined by three piers with smooth stone capitals. The south section has two nine-over-nine windows grouped together on the second and third floor levels. Ley have a shared stone sill and gauged brick lintel. The northern section has two aller windows on the second and third stories. Both first stories have three nine-zer-nine windows on each side, directly below a wide stone band course. The building alls are capped in crenelated stone molding.

The rear of the second addition is defined by a central entrance section projecting lightly and ending in a shallow pediment. It has a wide entrance on the first floor d a large window at the third floor level. The flanking walls are five bays wide. The outer windows are nine-over-nine with a stone sill and brick lintel. The central indows are tri-partite nine-over-nine with shared sills and lintels. The building walls and in crenelated stone molding.

The school's interior has a simple plan of classrooms flanking a central corridor hich bends at the connecting walls of each section and ends in a T-shape in the rear addition. Main stairways are located in the connecting section between the original wilding and first addition and at the center of the rear addition. The interior's est notable characteristics include metal ceilings in many classrooms and the halls of oth additions, interior windows (many of them have been painted over) in the original wilding section, and the large staircase with wooden handrails in the rear addition. The corner rooms facing the front have an unusual shape incorporating the round tower alls.

1. OD	AREAS OF EIGHTICARCE CHECK AND JUSTIFY BELOW			
FOR HISTORIC	RCM, OLUGY-LEHISTORIC	CCMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	LEFFICION
1.00.1499	ARCHIOLOGY HISTOHIC	CONSTRVATION	_ LAW	_ SCILIVCE
1500 1599	AGRICULTURE	FCONOMICS	LITEPATURE	- SCULFTUHE
1100 1099	X_ARCHITECTURE	X EDUCATION	IMILITARY	_SOCIAL/HUMAN 149 41
1720-1799	ART	_ E''GIRLERING	_ MUSIC	THEATER
X 1000 1899	COMMERCE	_ EXPLORATION SETTLE MENT	PRILOSOFHY	TRANSFORTATION
_1500-	COMMUNICATIONS	_IMPUSTRY	LEGERICS COVERNMENT	OTHER (SPECIFY)
		_ HILVENTION		

LECIFIC DATES

1891/1905/1912

BUILDER ALCHIECT A.S. Brown

STATEMENT OF SIGNIFICANCE

y st

The Columbus School is a representative example of the best of Romanesque Revival architecture in Baltimore. The cylindrical end towers, large stone entrance arch, and contral tower are characteristic of this style of architecture. The original building was constructed in 1891. The builder was A.S. Brown. It housed fourteen classrooms, cloak rooms for each class, well lighted, wide corridors, and the Smead system of ventilation. In 1905 an additional eight classrooms were added, as well as a new stairway. The final rear addition was constructed in 1912 when, at a cost of over \$53,000, ten new standard size classrooms (26 feet by 32 feet) were added. From 1912 the building housed thirty-three classrooms, three later converted to a library, health suite, and multi-purpose room. Since this school is still occupied, it has suffered less vandalism than the other five schools proposed for new housing.

The building is proposed for re-use as 39 housing units plus ground level meeting spaces for active neighborhood organizations. The school is located just south of Clifton Park. It is surrounded by two-story brick rowhouses of the turn of the century facing the school on three sides. Because of its size and location on North Avenue, a major traffic corridor, the school is a distinctive visual landmark for the community.

SUMMARY OF SIGNIFICANCE


The Columbus School is an example of the best of Romanasque Revival architecture in Baltimore. The central pyramidal tower and end turrets are highly visible on North Avenue, a major traffic corridor. Euilt in three different stages, it represents the changing quality of school construction in the late nineteenth and early twentieth centuries. The interior metal ceilings are rare for Baltimore City schools.

falticome City Public Schools Reports, 1891, 1905, and 1912. Paltimore City Inspector of Buildings Reports, 1391. ROSEATERCALDATA COLAGE OF NOMINATED PROPERTY .77 acre UT. TTTELLICES 11.8 [36.2[9.0.0] [4.3 5.2] 4.7.0] Irregularly shaped lot, 112 feet on North Avenue, 200 feet on Washington Street, and 146 feet on 20th Street. LIST ALL STATES AND COUNTIES FOR PROFESTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE CODE FORM PREPARED BY NAME / TITLE Fred Shoken, Planning Assistant URGANIZATION 1978 Commission for Historic and Architectural Preservation TELEPHONE STREET & NUMBER (301)396-4866 100 North Holliday Street CITY OR TOWN STATE Maryland 21202 Baltimore STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: LOCAL X NATIONAL ____ STATE As the designated State Historic Programation Officer for the Instance Programmed Act of 1966 (Public Law 09 685), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE DATE STATE HISTORIC PRESERVATION OFFICER FOR INPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER H Bratton


DINECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION

ATTEST: Crana Same Source






School #99 Baltimore City 8-3932 Jeff "Jerome / CHAP 9-26-78 Front facade from North Avenue





8-3932 School #99 Baltimore City Left. Serone, CHAP 9-26-78 Rear section facade





School #99 B-393Z Baltimore City SAT. Serome, CHAP 9-26-78 Tin ceiling in classroom

UNITED STATES DEPARTMENT OF THE INTERIOR Hernage Conservation and Learning Service Office of Archeology and Historic Freservation Washington D.C 20243

OME 1.1 42-P114

B-3932

HISTORIC PRESERVATION CERTIFICATION **APPLICATION** — PART 1

(Pursuant to the Tax Reform Act of 1976)

Instructions: Applicant should read the instructions carefully before completing application. No Certification may be made unless a completed application form has been received (P.L. 94-455). Use typewriter or print clearly in dark ink to complete the application form. If additional space is needed to complete Part 1, use the reverse side or a separate plain sheet of paper clearly indicating the owner's name and mailing address. Part 1 of this application may be completed and sent to the appropri-

ate State Historic Preservation Officer at any time during the year, and may be sent separately or with Part 2. PART 1 EVALUATION OF SIGNIFICANCE	
The Columbus School (Public School # 99)	
1. NAME OF PROPERTY	
Address of property Street North Avenue and Washington Street	
City Baltimore County State Maryland Zip	Code
Name of historic district in which property is located	- (c. s.)
2. DESCRIPTION OF PHYSICAL APPEARANCE: (see instructions for map and photograph requirements—use reverse side if necessary) The Columbus Scho Romanesque styled two-story, eleven bay wide structure de two cylindrical corner towers with conical roofs and a la story square central tower with a pyrimidal roof. The frogram is recessed into a large stone arch supported by two columns reverse side if necessary) The school is a representative example of the Romanesque Revival architecture in Baltimore. The ori was constructed in 1891, A.S. Brown, Builder, and housed classrooms, cloak rooms for each class, well lighted wide and incorporated the Shead system of heating/ventilating. Date of construction (if known): 1891 **Doriginal site** **Decessary** **Doriginal site** **Decess	fined by rge three- nt entrance mns with the best of ginal part fourteen corridors In 1905
	1905,1912
4. NAME AND MAILING ADDRESS OF OWNER: Name The Baltimore School Associates	
Name	
Street 18 Crowninshield Street	
City Peabody State Mass.	Zip Code 01960
Telephone Number (during day) Area Code 617-531-0015	
hereby attest that the information I have provided is, to the best of my knowledge, correct, and that I am owner of the property of Signature	Date 4/19/79
For office use only	
The structure described above is included within the boundaries of the National Register historic district and 🗆 contributes 🗆 does not	contribute to the character of
the district. The structure X appears □ does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6) and X will likely □ will not Register in accord with the Department of the Interior procedures (36 CFR 60).	be nominated to the National
The structure is located in a district which appears does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6), and appears appear in accord with Department of the Interior procedures (36 CFR 60), and appears does not appear to condition.	will likely will not be nom- tribute to the character of said
Signature Alle The	Date 4-4-79
State Historic Deservation Officer	٤
This property has been evaluated according to the criteria and procedures set forth by the Department of the Interior (36 CFR 67) and, if section 167 of the Internal Revenue Code of 1954. Is hereby certified a historic structure does not contribute to the character of the historic district and does not merit certification as a historic structure. Reasons given in	
Signature	Date

2. Continued

decorative caps, and ornamented with a lion's head keystone. A large round arched multi-paned transom fan light surmounts the double doors. Four first floor 1/1 windows with single light transoms are divided by three stone pilasters. The second and third floor levels are defined by a stone belt course. A heavy stone lintel is surmounted by louvered semi-circular windows set in a blind arcade with gaged brick voussoirs. A wood framed arch encloses the two windows. Round stone ornamentation at the spandrels have star design reliefs. The tower pavilion is capped by a dentilled wood cornice, metal gutter and large pyrimidal slate roof with ball finials.

The flanking east wall is four bays wide, the west wall three. Windows at the first floor of both are 1/1 with round headed multipaned transoms set below gaged brick arches. Recessed rectangular brick panels enrich the wall surface between the first and second floors, with the upper level windows 1/1 with tweleve light transoms below flat arched lintels. A brick parapet rises above the wall surface decorated with corbelled and open panels, with a pressed metal cap. The round towers have six windows in each, repeating the design of the upper floor windows in the main block. The towers rise above the parapets, with an open area defined by eight pilasters topped with conical roofs.

The side elevations of the original section are ten bays deep, with 6/6 segmentally arched windows. Projecting entrances are located at either end of the side elevation, with double doors, a large multipaned transom and decorative pressed metal pediments displaying "BOYS" on the north entrance and "GIRLS" at the south.

A four bay deep section connects the original part with the first (1905) addition, and repeats the details of the earlier wall. The 1905 addition is eight bays deep with 6/6 windows but wider than those in the original part. A second addition is appended to this area by a one bay wide, stucco section. This 1912 addition is seven bays deep constructed of a darker red brick, and is three stories high.

The interior has classrooms flanking a central corridor that turns at the first addition and terminates in a "T" at the last addition Main stairs are located in the hyphen that connects the original and first addition and at the center of the rear addition. The interior has excellent pressed metal ceilings in many classrooms and in the hall.

3. Continued

an additional eight classrooms were added, as well as a new stair. At a cost of \$ 53,000 ten new standard sized classrooms were added at the rear in 1912. The school has contained 33 classrooms since this last addition, three of which have been converted for use as a library, a health suite and a multi-purpose room. The school is proposed for reuse as 39 apartments, with ground level meeting rooms. It is surrounded by two story brick row houses dating from the turn of the century, and is considered the landmark structure of the community.

B-3932 * Public School # 99 (The Columbus School) 2000 E. North Avenue Block 4167, Lot 001 Baltimore City Baltimore East Quad.

